

**Notice to bidders:**

Sealed Bids for IN PLACE HOT BITUMINOUS PAVEMENT will be received by the City of Gautier, Mississippi **until 12:00 p.m. LOCAL TIME on the 1<sup>st</sup> day of November 2024**, and then will be publicly opened and read. Any bids received after the time and date specified will not be considered and will be returned unopened.

All bids shall be submitted in a sealed envelope addressed to the City Clerk of Gautier Mississippi. The Street address of the City Clerk is:

City Clerk  
Gautier City Hall  
3330 US-90  
Gautier, Mississippi  
39553

All bid envelopes shall be marked "SEALED BIDS FOR IN PLACE HOT MIX BITUMOUS PAVEMENT TO BE OPENED AT 12:00 P.M. FRIDAY, NOVEMBER 1<sup>st</sup>, 2024" on the outside of the envelope.

When bids are submitted electronically, the same requirements for submitting sealed bids shall apply. Electronic bids shall include a document representing the cover of the envelope containing the aforementioned criteria. Electronic bids shall be submitted to [reddix@gautier-ms.gov](mailto:reddix@gautier-ms.gov)

## **Specifications:**

- Hot bituminous pavement shall conform to the latest edition of MDOT Standard Specifications for Road and Bridge Construction, Section 401 – Bituminous Pavement.
- Contractor will ensure that all transitions are completed so as to be level with existing road grades when completed. Only saw cutting or milling to a minimum of 1.5" will be allowed.
- Tickets from certified scales shall be issued for each load from plant. Scale tickets shall be signed by a representative of the City of Gautier as designated by Public Works.
- The City of Gautier shall place a representative to oversee the contractor's quality management program. The City of Gautier shall place a representative at each jobsite to receive load tickets.
- The contractor shall establish a quality management program to include job safety and traffic control procedures in accordance with the latest edition of the Manual of Uniform Traffic Control Devices. In addition, the contractor shall be responsible for material testing and quality control documentation of mix design and placement per MDOT Standard Specifications for Road and Bridge Construction Section 401 – Bituminous Pavement and Section 403 – Hot Mix Asphalt Pavement. Failure to provide adequate safety, traffic control and testing and documentation will be just cause for termination of this contract at the option of the City of Gautier. Any "re-work" that is determined to be the fault of the contract, shall be done at the contractor's expense. The rework determination shall be made by either the Director of Public Works or the City's Engineer.
- Materials quoted herein above shall meet the most current applicable portions of the latest edition of MDOT Standard Specifications for Road and Bridge Construction, Sections 401 and 403.
- Unless agreed upon in writing, Successful bidder shall begin work within 14 days of work authorization. Should the successful bidder fail to do so, the City shall be at liberty to purchase the ordered material from others and the successful bidder shall be liable to the City for any additional cost incurred by reason of the bidder's failure to supply within the time specified. Failure to provide the product(s) when requested shall also be grounds to terminate their contract at the option of the City of Gautier
- Bituminous materials as listed above shall conform to the latest edition of the MDOT Standard Specifications for Road and Bridge Construction, Section 702 - Bituminous Materials.
- Measurement: Refer to MDOT Standard Specifications for Road and Bridge Construction, Section 702.02 – Measurement and Section 702.03 – Heating of Bituminous Material.
- At the beginning of the contract period, Contractor shall submit a current design mix (no greater than 2 years old), based on the use of currently available materials/stockpiles.
- At the beginning of the contract period, Contractor shall submit reasonably recent certified truck weights/tares.

- For areas of work within reasonably close proximity (less than 1000' apart), the work to be performed shall be included in a single work order and measured for payment as such.
- Where required as part of the work order, milling will be performed regardless of the sub-grade material (such as asphalt overlaid on concrete, etc.)
- Contractor's stockyard or plant must be within fifteen (15) miles of the City of Gautier Public Works facility.

### **General**

- The City of Gautier reserves the right to award each Section to separate contractors.
- This is an Annual Contract with five one-year extensions.
- The City of Gautier reserves the right to select an Alternate provider to initiate work in the event that the Primary provider is unable to complete work in a timely manner, or it is deemed advantageous by the City to do so.
- A price adjustment will be allowed based upon an industry-wide cost index of petroleum products for asphalt used in the performance or execution of this contract. The industry-wide index shall be established by the state highway department. The price adjustment shall be based on cost and shall not include any additional profit or overhead. The successful contractor shall give (30) days written notice of any price adjustment. The plant shall meet all certifications as required by the state highway department.
- Successful contractor must provide proof of insurance of at least \$1,000,000 of general liability insurance prior to entering contracts on construction, repair and maintenance jobs in excess of \$25,000.00.
- Successful contractor must show proof of the following Insurance Coverage:

General Liability	Each Occurrence	Aggregate
Bodily injury	\$300,000.00	\$300,000.00
Property damage	\$100,000.00	\$100,000.00

**BID SHEET**  
**In Place Hot Bituminous Pavement**

**Section A – Patchwork (1-20 Tons) - Asphalt (1-300 square yard milling)**

<b>DESCRIPTION</b>	<b>UNIT PRICE</b>
1. Hot Mix Asphalt In-Place, ST 9.5mm Mixture (used for overlays of 1 ½" & 2" thick).	\$ /TON
2. Hot Mix Asphalt In-Place, ST 19mm Mixture (used for base courses from 2" to 3 ½" thick).	\$ /TON
3. Cold Milling, Depth less than 2" – Contractor Retains Millings.	\$ /SQ YD
4. Cold Milling, Depth greater than 2" – Contractor Retains Millings.	\$ /SQ YD

**Section B – Small Paving Work (21 to 400 tons) - Asphalt (301 to 3000 square yards milling)**

<b>DESCRIPTION</b>	<b>UNIT PRICE</b>
1. Hot Mix Asphalt In-Place, ST 9.5mm Mixture (used for overlays of 1 ½" & 2" thick).	\$ /TON
2. Hot Mix Asphalt In-Place, ST 19mm Mixture (used for base courses from 2" x 3 ½" thick).	\$ /TON
3. Cold Milling, Depth less than 2" – Contractor Retains Millings.	\$ /SQ YD
4. Cold Milling, Depth greater than 2" – Contractor Retains Millings	\$ /SQ YD

**Section C – Large Paving Work (401+ tons) – Asphalt (3001+ square yards milling)**

<b>DESCRIPTION</b>	<b>UNIT PRICE</b>
1. Hot Mix Asphalt In-Place, ST 9.5mm Mixture (used for overlays of 1 ½" & 2" thick).	\$ /TON
2. Hot Mix Asphalt In-Place, ST 19mm Mixture (used for base courses from 2" x 3 ½" thick).	\$ /TON
3. Cold Milling, Depth less than 2" – Contractor Retains Millings.	\$ /SQ YD
4. Cold Milling, Depth greater than 2" – Contractor Retains Millings	\$ /SQ YD

**Section D– Hot Mix Asphalt Picked up at Contractor’s Plant, loaded onto City trucks**

<b>DESCRIPTION</b>	<b>UNIT PRICE</b>
1. Hot Mix Asphalt type SC-1	\$ /TON

**NOTE 1.** Mobilization, traffic control, preparation, clean-up, and all other work associated with paving operations shall be included within UNIT PRICING.

**NOTE 2.** Contractor has 14 (fourteen) calendar days after receipt of work order to begin work.

**NOTE 3.** Leveling shall be part of Paving Work and will be based on the appropriate unit price.

**NOTE 4.** The City of Gautier reserves the right to award each Section to separate contractors.

We/I do hereby certify by my signature that our product(s) bid meets or exceeds your specifications. We agree that failure to meet the specifications shall be just cause for the City of Gautier to remove our company from the bid list.

**CONTRACTOR INFORMATION**

<b>Company/Firm Name</b>	
<b>Authorized Representative-(print)</b>	
<b>Authorized Representative-(sign)</b>	
<b>Address</b>	
<b>Phone Number</b>	
<b>Facsimile Number</b>	
<b>Email</b>	